

TECHNICAL DATA SHEET

NFAI-Phenothrin (D)

NON FLAMMABLE AIRCRAFT INSECTICIDE PHENOTHRIN

(D-Phenothrin)
Insecticide Specially Formulated for Aeronautical Use

DESCRIPTION

NFAI-Phenothrin (D), Non Flammable Aircraft Insecticide Phenothrin (D-Phenothrin), is a non-flammable aircraft approved insecticide, compliant with International Health regulations (IHR) and World Health Organization's (WHO) recommendations for global biosecurity aircraft disinsection (control of vectors of transmission of diseases and biohazards). NFAI-Phenothrin (D) formulation is compatible with aeronautical materials based on aircraft manufacturer tests. Its dry and controlled spray allow for optimal efficacy on insects. Combining fast knock-down effect and rapid mortality for best proven bio-efficacy, NFAI-Phenothrin (D) is used for cabin and holds 'pre-departure' disinsection method as well as for any necessary 'on-arrival' cabin and holds disinsection.

FEATURES & BENEFITS

- Effective on many flying and crawling insects (*Aedes*, *Anopheles*, *Culex Mosquitoes*; *Musca Domestica*...) known as vectors of serious diseases (Malaria, Zika, Dengue...).
- Total mortality in less than 3 minutes with knock-down effect
- Compliant with IHR, WHO and IATA's recommendations
- Compliant with aircraft manufacturer's specifications.
- Non-flammable aerosol formula with dry diffusion for maximum efficacy.
- 30, 40, 60 and 100g formats, with single-shot or multi-shot nozzle, to optimize and perfectly adapt quantity of used insecticide.
- Active ingredient: 2% w/w d-phenothrin (CAS 26002-80-2).
- **Recyclable Aluminum can and plastic cap.**



APPLICATION

- Disinsection of the cabin, cockpit and holds
- Product suitable for use in confined spaces.
- Insecticide to be used in accordance with WHO's recommended aircraft disinsection "pre-departure", "pre-departure cargo holds", "on-arrival" and "on-arrival cargo holds" methods.

DIRECTIONS FOR USE

- Refer to your onboard manual for the number of cans to be used for each specific aircraft.
- Ensure all overhead and side wall lockers and toilets are left open
- Air conditioning system should be switched off.
- Hold one can of NFAI-Phenothrin (D) and start spraying from the back of the aircraft, moving Forward keeping the can at arm's length.

TECHNICAL DATA SHEET

- Direct the can to the open overhead lockers and ceiling, keeping a steady walking pace, no more than one step or one row per second.
- Once this side is complete, switch across to the other side of the aisle, spraying all the way until you reach the rear of the aircraft. If more than one can is required for treatment, follow the same method by holding one can in each hand. If four cans are required, two crew members should carry out this treatment.
- Spray all galleys, lift access areas, lavatories, coat lockers, crew rest areas, using an up and down motion for three seconds.
- The flight deck will also need to be sprayed for three seconds. Be sure to direct the spray away from aircraft equipment.
- Do not spray directly on food, food preparation areas or food utensils.
- **'Single-shot' Aerosol:** Content is released completely, in one continuous spray. Suitable for cabin treatment and for holds. Press hard on the tab until it locks. After activation (tab locked), the cannister must be held at the lowest part of its body in a vertical position, at arm's length at shoulder level, oriented towards the ceiling and slightly behind the user, until complete discharge. Walk through the cabin spraying at a rate of 1 step or 1 row of seats per second (average flow is of 1g per second).
- **'Multi-shot' Aerosol:** Multiple-use actuator, best suitable to complete treatment of small areas: cockpit, crew rest and small bulk treatment. Press the actuator, holding the aerosol vertically. Keep pressed until the right quantity is released, spraying at an average discharge rate of 1g per second. (ie. Press the actuator 3 to 4 seconds, per 10m³ of Cabin volume).
- **Application rate as per WHO recommendations (2nd Edition – Nov.2023):**
 - Cabin: 35g / 100 m³
 - When used with Single-Shot actuator in holds as an alternative to the 2% Permethrin + 2% d-Phenothrin combination aerosol formulation (special circumstances such as no authorization of the combination aerosol ; subject to approval by the country authority):
 - 140g / 100 m³ for Fwd Hold and Aft Hold of commercial passenger or freighter aircraft.
 - 55g / 100 m³ for Main Deck Cargo of a freighter aircraft.

Use biocides with caution. Before use, read the label and information concerning the product

CHARACTERISTICS

Aspect:	Colourless to slightly yellow liquid.
Fragrance:	Characteristic – peach fragrance.
Flammability:	Non-flammable aerosol.
Packaging:	Recyclable aluminium can. Resistance to pressure up to 18 bars.
Flow rate:	Between 0.8 & 1.2 g/s as per WHO recommendations.

Please consult the Material Safety Data Sheet for further information.

CERTIFICATIONS AND ACREDITATIONS

- Aerosol product NFAI-Phenothrin (D)
 - Compatible with aircraft materials: AMS1450 – D6-7127
 - Referenced on Airbus Consumable Material List (CML) 11ABB2
 - Compliant with WHO's recommendations for disinsection of aircraft.
- Active ingredient:
 - Assessed by WHO for public health pesticides

TECHNICAL DATA SHEET

- D-Phenothrin approved as per the EU Biocidal Products Regulation N°528/2012, for use as Product Type 18 (Commission Implementing Regulation (EU) n°1090/2014).
- PSA certified to ISO 9001:2015
- NCAGE: FA2X6

ORDERING INFORMATION

Product Code	Product	Size	Nozzle	Volume Treated (m3)	Units /Carton	CO ₂ / unit (EXW Paris)
AR0004922	NFAI-30D SINGLE -SHOT (#210 DP)	30 g	Single-shot	90	100	36,93 Kg
AR0005479	NFAI-30D MULTI-SHOT (#210 DN)	30 g	Multi-shot	90	100	36,93 Kg
AR0000296	NFAI-40D SINGLE -SHOT (#222 A)	40 g	Single -shot	120	100	49,20 Kg
AR0004887	NFAI-60D SINGLE -SHOT (#222 P)	60 g	Single -shot	170	100	73,72 Kg
AR0000290	NFAI-60D MULTI-SHOT (#222 N)	60 g	Multi-shot	170	100	73,72 Kg
AR0000298	NFAI-100D SINGLE -SHOT (#203 DP)	100 g	Single -shot	300	50	122,82 Kg
AR0000291	NFAI-100D MULTI-SHOT (#203 DN)	100 g	Multi-shot	300	50	122,82 Kg



CONTACT US TO KNOW MORE ABOUT CARBON FOOTPRINT
AND CARBON OFFSET FOR CO₂ NEUTRAL PRODUCTS



PACKAGING

Units /Carton	Carton Dimensions (cm)	Cartons /Pallet	Cartons /Layer	Number of Layers	Pallet Dimensions (cm)	Pallet Height (cm)
100	37 x 37 x 16	42	6	7	120 x 80	122
50	46.5 x 26 x 19.5	36	6	6	120 x 80	122

WARNING

Pressurised container: May burst if heated. Very toxic to aquatic life with long lasting effects.

PRECAUTION

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking. Do not pierce or burn, even after use. Avoid release to the environment. Collect spillage. - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

STORAGE AND DISPOSAL

Store in a cool, dry, ventilated place. Keep out of reach of children. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

WARRANTY – All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, expressed or implied, for which seller assumes legal responsibility and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent. Created 6th July 2020. Modified 1st March 2024. Date Printed 27/03/2024 5:58 PM